TOWN OF WILTON SEWER DEPARTMENT REGULAR MEETING THURSDAY, JULY 9, 2015 DRAFT MINUTES

- Wilton Sewer Commission held its regular monthly meeting on Thursday, July 9, 2015 at 6:30PM. Present were Commissioners Chairman Tom Herlihy and Chris Carter; Clerk Joanna K Eckstrom; Commissioner Schultz was delayed on business travel and did not attend. The following agenda was discussed:
 - 1. Call to order Chairman Herlihy called meeting to order at 6:45.

7 2. Public Input / Comment - None

3. Minutes of May 14, 2015 and June 11, 2015 meetings – both sets deferred until August meeting as only one of two commissioners who sat on each was present.

4. AR / AP discussion: YTD through 6/30/2015

Pam Atwood (AP) report – reviewed and in order. Although some bills have yet to be paid, total expended at 7/9 is 34.85% of budget. Comment about electric being high but this is typical for early part of the year; and there has been a lot of rain so pump stations are busy.

Commissioners reviewed and approved invoices for payment. Bill for the exercise clocks discussed. At June 11 meeting, commissioners agreed that Powers would be hired to repair / replace *two* clocks at cost not to exceed \$500 (based on quote for one at \$362.43). Actual cost for two at same time was a little more – \$616. Motion Mr Carter, second Mr Herlihy, \$616 unanimously approved.

Jane Farrell (AR) report –reviewed; of note is that 1st quarter 2015 sewer bills reflects rate increase - warrant is \$77,202; current, \$7500 is outstanding.

Confirm Flyer – Sensible Sewer Operation –On a motion by Mr Carter, seconded by Mr Herlihy, commission unanimously agreed to include flyer in 6/30/15 quarterly sewer & water billing; to be mailed to every household that receives billing, estimated at 620 addresses. Clerk to inform town office of this and will make corrections as needed to the document.

5. Waterpoint Network & GIS Mapping – discuss quote and vote – motion Mr Carter, second Mr Herlihy, commission unanimously accepted 64seconds quote of \$1500 for program. (Mr Schultz had expressed his approval at last month's meeting and this evening when he informed Mr Herlihy of his absence tonight.

On a motion by Mr Carter, seconded by Mr Herlihy, the commission will purchase an IPad and a \$44 month service agreement via Chief Hautenen's source at the state. Chris will follow up on this with Chief in the next few days.

TOWN OF WILTON SEWER DEPARTMENT REGULAR MEETING THURSDAY, JULY 9, 2015 DRAFT MINUTES

42

6. Milford - any follow up – there is nothing new however, clerk reminded that a signed copy of the intermunicipal agreement has not been filed. Mr Herlihy will follow up on this with Dave Boucher at Milford.

7. Status – system report – Mr Carter reported that a red brick was found in the sewer line during installation of water services at FRES. There is a 1500 gal grease line for the school kitchen's sewer service.

A similar grease line is at the fire department. Both Misters Carter and Herlihy will check with the ordinance and Milford about requiring annual inspection and cleaning for services with 'grease traps' and reporting results to WSD.

Updates to the ordinance to reflect items like this will be on future agendas.

Issues at Wilton Pressed Metals building are being resolved. The sewer line from Police Station to WPM has been re-laid to correct 'negative pitch' – this should alleviate flow problems. Also, Chuck Crawford, new owner of WPM, gave WSD permission to put electric meter and shut off for the heat tape on the outside of his building. Question of who will turn on heat tape each December 1st needs to be resolved.

A sewer line at Jowders Ln to Tremont Street is leaking and needs to be replaced. Old line is clay and is broken; line serves five houses and is proximate to FRES. Wetherbee's quote to do job for \$8100 was unanimously approved (motion Mr Herlihy, seconded Mr Carter. Highway department wasn't able to do whole job.)

8. Other / New: to do list in next few months – annual cleaning at pump stations – vendor usually calls to schedule this; repair fence at Mill Street and fix the concrete cover. Misters Herlihy and Carter and anyone else who wants to attend will do a 'walk-around' to see what else may need attention.

- Mr Carter reported that the siphon chamber at Mill St to Edgewater no longer has gravel in it so steps taken to prevent this are working.

There being no other business, the meeting was adjourned at 7:50PM

9. Next Meeting Thursday, August 13, 2015

- 81 Respectfully submitted,
- 32 Joanna K. Eckstrom, Clerk